



"ISSN Application No.: 73710 -Awaiting Rectification"

Volume 1 Issue 1

Date- 03/01/2025 Publication Date

Applying Shibastra Theory to Uranus and Neptune.

Shibanjan Paul Roy Assistant Professor of Swapna Devi College of Education

Abstract

This study applies the Shibastra Theory which i invented to predict potential lifeforms on Uranus and Neptune, icy giants in our solar system. By using the Shibastra Index (SI), i analyze environmental factors like atmospheric conditions, temperature and radiation exposure. My results suggest possible extremophilic life adapted to extreme cold and high pressures.

Introduction-

Uranus and Neptune, with their icy compositions and distant orbits, offer unique environments for astrobiological exploration. I apply the Shibastra Theory to predict potential lifeforms.

Uranus and Neptune the seventh and eighth planets in our solar system, they are icy giants with unique characteristics. It located 19.8 AU and 30.1 AU from the

Sun, respectively, these planets exhibit extreme conditions, making them intriguing subjects for astrobiological exploration.

Uranus-

- Composition: Mostly hydrogen, helium, and icy materials (water, ammonia, methane)
- Temperature: -197°C (-323°F) at cloud tops
- Atmosphere: Mostly hydrogen, helium and methane (gives blue color)
- Moons: 27 known moons (e.g. Miranda, Ariel)
- Rings: Thin, dark ring system

Neptune-

- Composition: Similar to Uranus, with more icy materials
- Temperature: -201°C (-330°F) at cloud tops
- Atmosphere: Hydrogen, helium and methane (blue color)
- Moons: 14 known moons (e.g., Triton, with geysers)
- Rings: Faint, dark ring system

Both planets have

- Extreme pressures (up to 100 GPa)
- Strong winds (up to 900 km/h)
- Limited sunlight (1/400th of Earth's)

I apply the Shibastra Theory to predict potential lifeforms on these icy giants, considering factors like habitability, radiation and energy sources.

Methods and Calculation-

$$SI = (H * I * A * T * R) / (S * B)$$

- Uranus:

- H: 0.4 (extreme cold, high pressure)
- I: 0.6 (complex atmospheric dynamics)
- A: 0.3 (hydrogen-helium atmosphere)
- T: 0.2 (very low temperatures)
- R: 0.8 (radiation-resistant environment)
- S: 0.6 (limited sunlight)
- B: 0.4 (possible biotic interactions)

$$SI \approx (0.4 * 0.6 * 0.3 * 0.2 * 0.8) / (0.6 * 0.4) \approx 0.16$$

- Neptune:
 - H: 0.3 (extreme conditions)
 - I: 0.7 (strong winds, storm systems)
 - A: 0.2 (hostile atmosphere)
 - T: 0.1 (extremely low temperatures)
 - R: 0.9 (high radiation)
 - S: 0.7 (very limited sunlight)
 - B: 0.3 (possible subsurface interactions)
- $SI \approx (0.3 * 0.7 * 0.2 * 0.1 * 0.9) / (0.7 * 0.3) \approx 0.06$

Results and Discussion-

Low SI values (Uranus: 0.16, Neptune: 0.06) suggest life is unlikely in these extreme environments. Most possible lifeforms might include psychrophilic microbes adapted to cold, high pressure conditions.

The Shibastra Index (SI) calculations for Uranus ($SI \approx 0.16$) and Neptune ($SI \approx 0.06$) indicated a low likelihood of life in these extreme environments. The planets harsh conditions, including:

- Extreme cold temperatures (-200°C to -150°C)
- High pressures (up to 100 GPa)
- Hostile atmospheres (mostly hydrogen and helium)
- Limited sunlight and energy sources

suggest life would require significant adaptations. Possible lifeforms might include-

- Psychrophilic microbes (cold loving)
- Radiation resistant microorganisms
- Subsurface or deep atmosphere dwellers

Earth analogues could be:

- Antarctic ice dwelling microbes
- Deep sea hydrothermal vent organisms
- Radiation resistant bacteria (e.g. *Deinococcus radiodurans*)

The low SI values indicate:

- Life on Uranus and Neptune is speculative
- Future missions should focus on subsurface exploration or atmospheric sampling

Conclusion-

The Shibastra Theory predicts low likelihood of life on Uranus and Neptune due to extreme conditions. Further research can refine this theory and guide exploration of icy giants.

The Shibastra Theory predicts a low likelihood of life on Uranus and Neptune (SI ≈ 0.16 and 0.06 , respectively), due to extreme cold, pressure and hostile atmospheres. Most possible lifeforms would likely be extremophilic microbes adapted to harsh conditions. Given these findings, future exploration should prioritize:

- Subsurface sampling
- Atmospheric probes
- Targeted biosignature detection

The Shibastra Theory provides a framework for assessing life potential on icy giants, guiding future astrobiological research.

References-

1. NASA's Uranus Fact Sheet
2. NASA's Neptune Fact Sheet
3. Uranus - Wikipedia
4. Neptune - Wikipedia
5. The Planetary Society - Uranus
6. The Planetary Society - Neptune
7. Astrobiology Web - Uranus
8. Astrobiology Web - Neptune
9. Journal of Geophysical Research: Planets
10. Nature - Uranus and Neptune Research
11. Science - Neptune's Atmosphere
12. IAU - Uranus and Neptune Classification
13. ESA - Uranus Exploration
14. NASA's Planetary Protection
15. Astrobiology Magazine - Icy Giants.
16. Paul Roy, Shibanjan. (2026). The New Mathematical Discovery of Proxima Centauri B by Shibastra Theory.
17. Uranus and Neptune. the Distant Giants
Burgess - 1988

18. Empirical Structure Models of Uranus and Neptune
Neuenschwander - 2022

19. The potential for neutral tori at Uranus and Neptune
smith - 2025

20. Mushballs and the lack of Ammonia in Uranus and Neptune
Guillot - 2024

Paper Got- 17/09/2025

Paper Accepted- 03/01/2026